

Q-SYS™ Scaling Licenses

Features	Collaboration Bundle	Commercial AV Bundle	Q-SYS Core 610 (coming soon)
Part Number	SLCOL-8N-P	SLCOM-8N-P	SLCS15-610-P
Applicable Hardware	Core Nano, Core 8 Flex	Core Nano, Core 8 Flex	Q-SYS Core 610
Type	Perpetual, Node Locked	Perpetual, Node Locked	Perpetual, Node Locked
Supported Q-SYS Designer Software Version	v9.3.0 or higher	v9.9.0 or higher	v9.9 or higher
Q-LAN/AES67 network channels	128 x 128 (2x from standard)	128 x 128 (2x from standard)	384 x 384 (1.5x from standard)
Additional DSP processing power	Approx. 2x from standard	Approx. 2x from standard	Approx. 1.5x from standard
Softphones	4 (2x from standard)	-	-
AEC Processors @ 200 ms	16 (2x from standard)	-	96 (1.5x from standard)
Additional NM-T1 Support	Up to 6 (2x from standard)	-	21 (1.5x from standard)
Media/WAN network channels	-	Increased to 24 x 24 (2x from standard)	96 x 96 (1.5x from standard)
Q-SYS peripheral count	-	Increased to 48 (1.5x from standard)	-

Q-SYS™ Feature Licenses

Q-SYS Control

License Type	Part Number	Applicable Hardware	Type	Supported Q-SYS Designer Software Version	Description
Q-SYS Scripting Engine	SLQSE-8N-P	Core Nano, 8 Flex, NV-32-H	Perpetual, Node Locked	v7.0 or higher	Q-SYS Scripting Engine license to write scripts and use plugins
	SLQSE-110-P	Core 110f			
	SLQSE-510-P	Core 510i			
	SLQSE-610-P	Core 610			
Q-SYS UCI Deployment	SLQUD-8N-P	Core Nano, 8 Flex, NV-32-H	Perpetual, Node Locked	v7.0 or higher	Q-SYS UCI Deployment - needed to deploy User Control Interfaces to native touchscreen Q-SYS controllers or other hardware targets
	SLQUD-110-P	Core 110f			
	SLQUD-510-P	Core 510i			
	SLQUD-610-P	Core 610			

Q-SYS Audio

License Type	Part Number	Applicable Hardware	Type	Supported Q-SYS Designer Software Version	Description
Software-Based Dante	SLDAN-8-P	All Q-SYS Cores	Perpetual, Node Locked	v9.0* or higher	8x8-channels. This license is included on all Q-SYS Cores except the NV-32-H. It can be purchased for an NV-32-H, or for a Q-SYS Core 110f sold prior to 30 March, 2020 or Cores 510i and 5200 sold prior to January 1, 2021.
	SLDAN-16-P				16x16-channels
	SLDAN-32-P				32x32-channels
	SLDAN-64-P	Core 510i, 610, 5200			64x64-channels
	SLDAN-128-P				128x128-channels
	SLDAN-256-P	Core 610, 5200			256x256-channels *For Core 610, Q-SYS Designer v9.9 or later is required.
	SLDAN-512-P	Core 5200			512x512-channels
Multi Track Playback	SLMTP-32	Core Nano*, 8 Flex*, 110f*, 510i*, 610, 5200	Perpetual, Node Locked	v7.0 or higher	32 Audio Player Tracks *Core Nano, 8 Flex, 110f, and 510i require a media drive option installed to depoy expanded multi-track playback capacity.
	SLMTP-64	Core 510i*, 610, 5200			64 Audio Player Tracks *Core 510i requires a media drive option installed to deploy extended multi-track playback capacity.
	SLMTP-128				128 Audio Player Tracks *Core 510i requires a media drive option installed to deploy extended multi-track playback capacity.

Q-SYS™ Feature Licenses

Q-SYS Video

License Type	Part Number	Applicable Hardware	Type	Supported Q-SYS Designer Software Version	Description
AV Bridging	SLQBR-P	TSC-70-G3, TSC-101-G3, NV-21-HU	Perpetual, Node Locked	v9.7* or higher	Enables AV Bridging for Q-SYS Native devices. One license required PER device with AV Bridging enabled. *For NV-21-HU, Q-SYS Designer v9.8.1 or later is required.
Core Mode Streaming	SLQCMS-NV32-P	NV-32-H (Core Capable)	Perpetual, Node Locked	v9.9 or higher	Expand the NV Series NV-32-H (Core Capable) to offer simultaneous functionality for Core processing and network video encoding/decoding

Q-SYS Licensing Bundles

License Type	Part Number	Applicable Hardware	Type	Supported Q-SYS Designer Software Version	Description
Microsoft Teams Room	SLMST-8N-P	Core Nano, 8 Flex, NV-32-H	Perpetual, Node Locked	v9.0 or higher	License for Microsoft Teams Room software features. Includes both Q-SYS Scripting Engine and UCI deployment licenses.
	SLMST-110-P	Core 110f			
	SLMST-510-P	Core 510i			
	SLMST-610-P	Core 610			