Web Conference Integration Guide for larger rooms

ZOOM Google Cloud



Q-SYSTEM


AUDIO | VIDEO | CONTROL | PROCESSING | NETWORKING | INTEGRATION | MONITORING











- Zoom soft codec integration via USB connection on Q-SYS NV Series
- Fully integrated network video streaming without the need for additional control processors or complicated programming

- Multiple PTZ conferencing cameras without the need for a dedicated video switcher
- Enterprise connectivity for fault monitoring and usage analytics
- Standards-based networking for IT-friendly deployment








Google Cloud

Hangout Meets - large meeting room

standard CAT-5/6 — USB 2.0 ----USB 3.0 ──

signal line output load -







with



Hangout Meets - all hands lecture hall

standard CAT-5/6 —	_
IICP O O	

USB 3.0 -

	sign
1	outp

■ HDMI

Standard network switch	QSC AcousticDesign™ Series loudspeakers
Q-SYS Core 110f processor	
ASUS Chromebox	Hangouts Meet Touchscreen Controller
ASUS CHROMEBOX	
QSC CX-Q Series network amplifier	OSC OSC OSC
	Ceiling
Assisted listening system	Microphones
	<u> </u>
Wireless microphone transceiver loudspeaker zone 1	
	loudspeaker zone 2
Wireless presenter microphones	loudspeaker zone 3
	EQUICATION .

